

AMENDMENTS TO THE CLAIMS

1. (previously presented): A composition comprising plant growth regulating substances which composition is a sterilized culture filtrate recovered from a culture of the spawn of a *Basidiomycete* fungus incubated in a medium containing at least 10% available carbohydrate in the presence of long wavelength light, and in the substantial absence of agitation, wherein said medium further contains potassium ion and carotene, and wherein said filtrate is the liquid portion of said culture from which proteins have been denatured and removed.

2. (previously presented): A formulation for application to enhance plant growth and/or development which formulation comprises an effective amount of a composition comprising plant growth regulating substances, which composition is an optionally dried sterilized culture filtrate recovered from a culture of the spawn of a *Basidiomycete* fungus incubated in a medium containing at least 10% available carbohydrate in the presence of long wavelength light and in the substantial absence of agitation, wherein said medium further contains potassium ion and carotene, and wherein said filtrate is the liquid portion of said culture from which proteins have been denatured and removed.

3. (currently amended): The composition ~~formulation~~ of claim 1 [[2]], wherein the BRIX value of the medium is 12-15.

4. (currently amended): The composition ~~formulation~~ of claim 1 [[2]], wherein said medium comprises molasses and/or pineapple or papaya syrup or juice.

5. (currently amended): The composition ~~formulation~~ of claim 1 [[2]], wherein said medium contains sufficient carotene to impart a yellow color, and K^+ of 0.01%-0.1% wt/vol.

6. (canceled)

7. (currently amended): The composition ~~formulation~~ of claim 1, wherein the *Basidiomycete* is a *Polyporus* fungus.

8. (currently amended): The composition ~~formulation~~ of claim 7, wherein the *Polyporus* is a brown rot *Polyporus*.

9. (currently amended): The composition ~~formulation~~ of claim 8, wherein the brown rot *Polyporus* is a *Laetiporus*.

10. (previously presented): A method to prepare a composition comprising plant growth regulators, which method comprises sterilizing the filtrate of a culture of the spawn of a *Basidiomycete* fungus which culture has been grown in medium containing at least 10% available carbohydrate in the presence of long wavelength light and in the substantial absence of agitation, wherein said medium further contains potassium ion and carotene, and wherein proteins have been denatured and removed from the filtrate.

11. (previously presented): A method to prepare a composition containing plant growth regulators, which method comprises

culturing the spawn of a *Basidiomycete* fungus in a medium containing at least 10% available carbohydrate in the presence of long wavelength light and in the substantial absence of agitation, wherein said medium further contains potassium ion and carotene;

recovering a culture filtrate;

denaturing soluble proteins in the filtrate and removing said denatured proteins; and

sterilizing the remaining culture filtrate to obtain said composition.

12. (original): The method of claim 11, wherein the medium contains sufficient carotene to impart a yellow color, and K^+ of 0.01%-0.1% wt/vol.

13. (original): The method of claim 11, which said culture filtrate is recovered by filtering said culture.

14. (original): The method of claim 11, wherein said denatured proteins are removed by filtering.

15. (original): The method of claim 10, wherein said sterilizing is by pasteurization.

16. (original): The method of claim 11, wherein said sterilizing is by pasteurization.

17. (canceled)

18. (currently amended): The method of claim 11 ~~[[1]]~~, wherein the *Basidiomycete* is a *Polyporus* fungus.

19. (original): The method of claim 18, wherein the *Polyporus* is a brown rot *Polyporus*.

20. (original): The method of claim 19, wherein the brown rot *Polyporus* is a *Laetiporus*.

21. (original): A method to enhance plant growth, development or bulk, which method comprises contacting the seeds or at least a portion of said plant with the formulation of claim 2.

22. (original): The method of claim 21, wherein said formulation further contains at least one pesticide and/or at least one nutrient and/or at least one herbicide.

23. (original): The method of claim 21, wherein said formulation further contains at least one elicitor of phytoalexin production.

24. (original): The formulation of claim 2 which comprises diatomaceous earth or fertilizer particles coated with said composition.

25. (original): The method of claim 21 which further comprises contacting the seeds or at least a portion of said plant with at least one pesticide and/or at least one nutrient and/or at least one herbicide.